

JFOPT[®]

www.jfopt.com

Technical Specification

FTTH Terminal Box



For detailed inquiry
please contact our
sales team at:

market@jfopt.com

MODEL : JFFX-TB204

Shenzhen Jiafu Optical Communication Co., Ltd
Add: 2nd Floor, Building A, Huilongda Industrial Park, Shuitian Community,
Shiyan Street, Bao'an District, Shenzhen City, Guangdong Province, China
Tel: 86-755-83570641 & 86-755-83570652 Fax: 86-755-83570649

● **Characteristics :**

- ◆ **Made of high quality ABS**
- ◆ **4 ports for SC simplex / LC duplex, used in the branch of cabling system**
- ◆ **Mounted on the wall or put on the ground**
- ◆ **Adapter slots adopted no screw needed for installing adapters**
- ◆ **Double layers design for easier installation and maintenance: upper layer for splicing, lower layer for distribution**
- ◆ **150mm×110mm×30mm**

● **Application :**

Applied for duplex cable termination in home or office; fully meet the requirements of fiber bending radius and protect input cable and output cable. Appropriate bending radius allows the box to hold some amount of redundant fiber and achieve the FTTD and FTTH system.

● **Environment :**

- 1. Temperature:-40 to 75 degree**
- 2. Air pressure: 60KPa to 106 KPa**

JFOPT[®]

www.jfopt.com

Technical Specification



Shenzhen Jiafu Optical Communication Co., Ltd
Add: 2nd Floor, Building A, Huilongda Industrial Park, Shuitian Community,
Shiyan Street, Bao'an District, Shenzhen City, Guangdong Province, China
Tel: 86-755-83570641 & 86-755-83570652 Fax: 86-755-83570649